



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SCIENCE:

PUBLISHED BY N. D. C. HODGES, 874 BROADWAY, NEW YORK.

SUBSCRIPTIONS TO ANY PART OF THE WORLD, \$3.50 A YEAR.

To any contributor, on request in advance, one hundred copies of the issue containing his article will be sent without charge. More copies will be supplied at about cost, also if ordered in advance. Reprints are not supplied, as for obvious reasons we desire to circulate as many copies of *Science* as possible. Authors are, however, at perfect liberty to have their articles reprinted elsewhere. For illustrations, drawings in black and white suitable for photo-engraving should be supplied by the contributor. Rejected manuscripts will be returned to the authors only when the requisite amount of postage accompanies the manuscript. Whatever is intended for insertion must be authenticated by the name and address of the writer; not necessarily for publication, but as a guaranty of good faith. We do not hold ourselves responsible for any view or opinions expressed in the communications of our correspondents.

Attention is called to the "Wants" column. It is invaluable to those who use it in soliciting information or seeking new positions. The name and address of applicants should be given in full, so that answers will go direct to them. The "Exchange" column is likewise open.

CONGRESS OF CHEMISTS AT CHICAGO.

The committees in charge of the congress have selected Monday, Aug. 21, as the date of the opening of the Congress of Chemists to be held in connection with the Columbian Exposition, in Chicago. The chairman of the committee appointed for coöperation in this congress by the American Association for the Advancement of Science, Chemical Section, is Professor Ira Remsen, Johns Hopkins University, Baltimore, Md. The chairman of the committee appointed by the American Chemical Society is Dr. Wm. McMurtrie, 106 Wall Street, New York, N.Y. The chairman of the committee of the World's Congress Auxiliary, on Congress of Chemists, is Professor John H. Long, 2421 Dearborn Street, Chicago, Ill. The various committees have organized by selecting Dr. H. W. Wiley, chief chemist of the Department of Agriculture, Washington, D.C., as chairman, and Professor R. B. Warder, Howard University, Washington, D.C., as secretary.

The work of the congress has been divided into ten sections, and a temporary chairman has been selected for each section, as follows: Agricultural Chemistry, H. W. Wiley, Department of Agriculture, Washington, D.C.; Analytical Chemistry, A. B. Prescott, Michigan University, Ann Arbor, Mich.; Didactic Chemistry, W. E. Stone, Lafayette, Ind.; Historical Chemistry and Bibliography, H. C. Bolton, University Club, New York.; Inorganic Chemistry, F. W. Clarke, Geological Survey, Washington, D.C.; Organic Chemistry, I. Remsen, Johns Hopkins University, Baltimore, Md.; Physical Chemistry, R. B. Warder, Washington, D.C.; Physiological Chemistry, V. C. Vaughan, Michigan University, Ann Arbor, Mich.; Sanitary Chemistry, H. Leffmann, 715 Walnut Street, Philadelphia, Pa.; Technical Chemistry, Wm. McMurtrie, 106 Wall Street, New York, N.Y.

General and special invitations have already been issued to foreign chemists, and many replies have been received, indicating a large attendance of chemists from abroad at the congress. The following distinguished foreign chemists have already promised to present papers to the congress, and the list will, without doubt, be increased many fold before the date of the opening: Professor L. G. M. Ernest Milliau, Marseilles, On Standard Methods of Oil Analysis; Mr. Farnham Maxwell Lyte, London, On the Production of Chlorine; Mr. H. Droop Richmond, London, On the Accuracy of the Methods of Analyses of Dairy Products; Mr. Pierre Manhes, Lyon, subject to be announced later; Professor B. Tollens, Goettingen, Researches on the Synthesis of Polyatomic Alcohols; Professor Ferd. Tiemann, Berlin, subject to be announced later; Mr. H. Pellet, Brussels, On the Methods of Determining the Percentage of Sugar in Beets; Mr. H. R. Proctor, Leeds, On the Examination of Tanning Materials; Mr. O. Kemna,

Antwerp, On the Purification of Water; Mr. Otto Hehner, London subject to be announced; Professor C. A. Bischoff, Riga, subject to be announced; Professor G. Lunge, Zürich, On the Method of Teaching Technological Chemistry at Universities and Polytechnic Schools; Professor Ludwig Mond, Rome, subject to be announced; and Professor W. N. Hartley, Dublin, subject to be announced.

American chemists are invited to take an active interest in the congress and to be present, or, if that is not possible, to send papers on some of the subjects indicated in the classification above mentioned.

Chemists specially interested in each of the subjects for discussion are invited to correspond with the chairmen of those sections in regard to the character of the work and of the papers expected. All chemists who expect to read papers at the congress are earnestly requested to send the titles thereof to the chairman of the General Committee, Dr. H. W. Wiley, Department of Agriculture, Washington, D.C., on or before the first day of August. It will be difficult to arrange for a position on the programme for the titles of any papers which may be received after that date. The time required for each paper should also be noted, so that daily programmes can be provided for in advance. In all cases the place of honor on the programme will be given to foreign contributors. Papers or addresses can be presented in English, French, or German, as the author may select, but where convenient the English language will be preferred.

The committee desires to ask those chemists who propose to attend the World's Congress to make an excursion during the week previous to the meeting to Madison, Wisconsin, for the purpose of attending the meetings of the Chemical Section of the American Association for the Advancement of Science. This will not only be a delightful excursion, as Madison is distant only about four hours from Chicago, but will also enable the participants in the congress to make the acquaintance of the scientific men of the United States and other countries engaged not only in chemical, but also in other branches of science.

Other attractions in Chicago will be meetings of different chemical societies. Among these may be mentioned the American Chemical Society, the annual meeting of which will begin Aug. 21, and the Association of Official Agricultural Chemists, which will hold its annual meeting in Chicago, beginning Thursday, Aug. 24. The sessions of these societies will be so ordered as not to conflict with the business of the congress. The American Pharmaceutical Association, which has a strong chemical section, will also meet in Chicago at or near this time. It is hoped that the Institute of Mining Engineers may also hold its meeting about this time, although no definite announcement can be made in regard to this matter. It is thus seen that this occasion will bring together the active workers in all branches of chemical science in the United States, and enable American chemists to make the acquaintance of distinguished co-laborers from abroad, and the visiting chemists to meet the largest possible number of their fellow-laborers here.

Every possible arrangement will be made for the convenience and comfort of visitors. Intending participants in the congress should address Professor John H. Long, 2421 Dearborn Street, Chicago, Ill., for information in regard to quarters and other accommodations. On arrival in Chicago visitors should report at once to the congress headquarters, Art Institute Building, Lake Front and Adams Streets, where full information will be given them in regard to matters connected with their personal comfort. Wherever possible, intending visitors should write a few days before their arrival to the committees above mentioned, in order that special provision may be made for their comfort when they reach Chicago.

In regard to the climate of Chicago in August, much can be said in praise. While warm days may sometimes be expected, the situation of the city on the edge of a vast, open prairie, extending for nearly a thousand miles north and west without a break, secures even in the hottest day refreshing breezes which cool the atmosphere and mitigate the heat of summer. The lake breezes also do much to render the climate moderate. No one need be deterred from attending the congress on account of fear of severe heat.

It is especially urged that all chemists who intend visiting the World's Fair take this occasion to do so, by which they can combine the pleasure of visiting the Exposition with the benefit derived from attendance at the congress. To American chemists an especial appeal is made to be present for the purpose of welcoming our foreign visitors and showing them the progress of chemical science in the United States.

HARVEY W. WILEY.

THE EFFECT OF FOOD UPON THE COMPOSITION OF BUTTER.

BY FRED W. MORSE, DURHAM, NEW HAMPSHIRE.

Practical dairymen, who produce a high grade of butter, lay great stress upon the quality of food with which their cows are fed. Chemists, who have had much to do in the examination of butter for adulterants, have observed that the samples from one region have steadily varied in their composition from those of another region, where different practice prevailed in feeding. These facts have led to many experiments, both in Europe and America, to find out the specific action of different foods upon the composition of butter.

This product of the dairy is composed of fat, water, salt and curd; and of these, the cow is responsible for only the fat and the curd. The former constitutes about eighty-five per cent and the latter barely one per cent of the butter, therefore chemical examinations for variations due to food have been confined wholly to the fat. Butter-fat differs from the fat deposited in the body of the animal by having from five to seven per cent of volatile fatty acids, and only eighty-seven to ninety per cent of insoluble, fatty acids, while tallow has ninety-five per cent of the latter and less than one-half of one per cent of the former. The volatile acids give butter fat its characteristic flavor, and also cause it to be softer than tallow. Butter fat also differs from tallow in having less oleic acid among its insoluble acids. These two characteristics of butter-fat have been studied more than any of its other properties, because of their relations to adulterations, and the studies of food effects have so far been confined to the same lines.

In the course of investigations, it has been found that in general, the widest variations in volatile acids and oleic acid are due to the progress of lactation, the latter increases and the former decrease as the period advances. Individual cows also vary widely from one another in the composition of their butter fat, but with regard to the breeds, no definite conclusions can be made.

The effect of food is greater upon the oleic acid than upon the volatile acids and, in nearly all cases, variations in this constituent of the fat have been closely related to variations in the firmness of the butter. This is to be expected, as oleic acid is an oily liquid at summer temperature, and the butter is softer or harder as this acid is present in greater or less amount.

Many of the foods have been tried in such limited amounts that it is unsafe to draw conclusions, therefore only such foods will be mentioned here as have been used in repeated trials. The most notable effect has been produced by cotton-seed and cotton-seed cake. Whenever it has been fed, the volatile acids and oleic acid have been depressed below the average; the butter is deficient in flavor and often too hard to be easily cut with a knife.

In strong contrast to this action of cotton-seed, is the effect of gluten-meal, a by-product from the manufacture of corn-starch. This food is especially effective in raising the oleic acid above the average, and also produces a butter-fat high in volatile acids. The butter from this food is frequently too soft for an ideal product. Corn-meal, however, has always produced a butter-fat low in oleic acid, but has shown no action on the volatile acids. Clover, dry or green, has produced fat high in volatile acids, and with oleic acid slightly above the average. The same is also true of spring pasturage. Early cut straw generally produces a fat with volatile acids and oleic acid below the average.

The action of clover and pasturage in increasing the volatile acids, and that of corn in lowering the oleic acid, explains the practice of the makers of first-class butter, who rely upon these foods to produce a good flavor and firm grain.

ELECTRICAL NOTES.

THE present Electrical Exhibit at the World's Fair contains much more that is of interest from an engineering standpoint than from a purely scientific one. Magnificent as the engineering display is, there is little that is new. Everything is now thoroughly mechanical, one no longer sees the monuments of tortured ingenuity which used to pervade the former exhibitions; in its place are the results of sound and competent engineering skill.

The multipolar machine has evidently come to stay. Three years ago there was not, I believe, a single large multipolar machine made. Almost the only makers of machines above 100 horse-power were the Edison, Brush, and Westinghouse Companies (we are speaking of America, of course; on the Continent of Europe multipolar machines have been the rule), and their machines were all bipolar. Now there is on exhibit hardly a single machine above 50 horse-power which is not multipolar. Splendid examples of these are the Westinghouse, Thomson-Houston, and Edison direct connected generators.

The general use of the toothed armature is also a new feature. A short time ago the hardy individual who should have proposed designing a large dynamo with toothed armature would have been told that it was impossible to do it, that the consequent increase of self-induction would make it spark so badly that it could not be run, that the only way to make a dynamo whose brushes would not need shifting between full and no load was to have a big air-gap, and all this would have been backed up by alarming mathematical quotations from Ayrton and other writers.

Now we see that the impossible way is the only way, and the designer who neglects the aid of the toothed armature is handicapping himself very much. In passing, one may notice that, if one may judge from several recently-read papers in the English Institute of Electrical Engineers, European designers are not able as yet to design a toothed armature which shall not spark, shall require no shifting of brushes, and shall be highly efficient. Even the machines, which probably furnished the encouragement to American designers to try the toothed armature, i.e., the Brown machines for electro-metallurgy, we learn, recently, had to be sent back to the factory, the armature turned down, and rewound with an exterior winding.

Among the new things in engineering, the large two-phase 1,000 horse-power generators of the Westinghouse Company deserve especial attention. The large amount of work now being done in this line by the various companies is a good augury for the rapid development of the system. If this proves a success, the days of the continuous current will be ended, so far as engineering is concerned. There are three things so far which have hampered the alternating current: (1) Poor all-day efficiency of transformers, (2) noisy arc-lights, and (3) absence of motors. The recent developments in transformer design have resulted in transformers with an all-day efficiency of 94 per cent; the new low-potential arc-lamps give a better light than the continuous-current lamps, and as noiseless; and there only remains the development of the motor system, which now seems to be within sight.

Electric welding is evidently no longer a thing of the future. There are a number of firms making displays, who are using the Thomson process in their business. Several of the wagon-making firms use the welders to make tires and weld axles; wire-making companies use them to join lengths of wire; they are used in making shells for modern machine and quick-firing guns; for joining up lengths of pipe in ammonia ice-machines; and for welding rails together to form a continuous track. This last is a most interesting exhibit, as, if successful in practice, it will lead to a new method of railway construction, for street railways at least. A track has been in operation for some time near the Thomson-Houston factory in Lynn, and the results seem to have been very good. No trouble was experienced from expansion or contraction, the friction of the rails in the ground preventing displacement and creeping, and the expansion merely manifesting itself as a stress in the rails, well within the elastic limit.

Among recent practical applications of electricity are the electric chimes and tower-clock system, now on exhibition in the tower in the centre of the Manufactures and Liberal Arts Building. These are the invention of Mr. Attwood, and the chimes have been used for